

APPLICATION FOR PERMIT

Serial No.

16193

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of first receipt and filing in State Engineer's office
Returned to applicant for correction
Corrected application filed

MAR 14 1955

The undersigned ROSE HOLDING CORP. (Agent, Mr. Louis Davidson)
of Las Vegas, County of Clark,
State of Nevada, hereby make application for
permission to appropriate the public waters of the State of Nevada, as
hereinafter stated. (If applicant is a corporation, give date and place
of incorporation.) State of Nevada, July 26, 1954.

1. The source of the proposed appropriation is an underground source
in Las Vegas Artesian Basin, Clark County, Nevada.
Name of stream, lake, or other source

2. The amount of water applied for is 0.20 second-feet.
One second-foot equals 40 miners' inches

3. The water to be used for Quasi-Municipal purposes
Irrigation, power, mining, manufacturing, domestic, or other use

4. The water is to be diverted from its source at the following point:
Within SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 24, T. 20 S., R. 60 E, MD.M. Nev. or at a point from
Describe as being within a 40-acre subdivision of public survey, or by course and distance to a section corner. If on unsurveyed land, it should be so stated.
which the South $\frac{1}{4}$ corner of said Sec. 24 bears South 45°00' East a
distance of 262 feet.

IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:

(a) Number of acres to be irrigated is None
(b) Description of land to be irrigated None
Describe by legal subdivision, or if on unsurveyed land it should

be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction.

(c) Use will begin about ----- and end about -----, of each year.
Month Month

Quasi-Municipal
IF WATER IS TO BE USED FOR POWER, MINING, STOCK WATERING/OR OTHER USE, SUPPLY THE
FOLLOWING INFORMATION

(d) Power to be developed is None horsepower.

(e) Place of use The entire E $\frac{1}{2}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 24, T 20 S, R 60 E, MD.M.
Nev.
Give location of place of use by legal subdivision

(f) Point of return of water to stream within the legal subdivision
Describe in same manner as point of diversion
designated as the place of use.

(g) State number and kinds of animals to be watered None

(h) Use will begin about Jan. 1st and end about Dec. 31st, of each year.
Month Month

(i) Remarks The entire area designated as the place will be subdivided
into a subdivision known as 'GOLF COURSE SUBDIVISION' and will contain
68 Lots and a dwelling upon each said Lot. (Tentative map approved by
the Clark County Planning Commission)

DESCRIPTION OF PROPOSED WORKS

Water to be diverted from a 10" drilled and cased artesian Well, and distributed in State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water is to be stored in reservoirs, it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions. by a system of 4" main to service 3/4" laterals to each lot. A 10 HP Fairbanks-Morse Pump will be installed to develop water at the point of diversion, together with a pressure Tank (size to be determined at the time the Well is dug

5. Estimated cost of works \$12,000
6. Estimated time required to construct works two (2) years
7. Remarks This subdivision cannot be serviced for water by the Clark County Water District, therefore it is necessary to construct the Well.

ROSE HOLDING CORP., Applicant.

By s/ Louis Davidson
(Agent) Louis Davidson By Jack Asher (s)

Compared RA-42

This sheet inspected
_____, Engineer.

REJECTION OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby ~~grant~~ ^{reject} the same, ~~subject to the following limitations and conditions:~~
for failure to submit the required certificate of Public Convenience and Necessity to the State Engineer's Office.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed _____ cubic feet per second.

Actual construction work shall begin on or before _____

Proof of commencement of work shall be filed before _____

Work must be prosecuted with reasonable diligence and be completed on or before _____

Proof of completion of work shall be filed before _____

Application of water to beneficial use shall be made on or before _____

_____. Proof of the application of water to beneficial use must be filed with State Engineer on or before _____

WITNESS MY HAND AND SEAL this 25th day
of June, 1957.

Edmund M. Smith
Acting State Engineer.